

Triad II

Reflections



FIRST IN INNOVATION • BEST BY DESIGN • ULTIMATE IN PERFORMANCE

Spa Specifications



Triad II

Reflections



M• Drive



UltraLounge




DrinkHolders



Massage Sequencer



NeckFlex Jet System




UltraPure

Retail price : 12 995 €*

The perfect hot tub for those who demand high performance in a compact package. Immerse yourself in total head-to-toe therapy in the UltraLounge, with a fully customized massage and NeckFlex Jet Pillow.

Shell Colours

UltraLife White 

Rare Earth Obsidian 

Rare Earth Opel 

Platinum 

Rare Earth Jasper 

Moonstone 

Dimensions / Capacity 213 x 169 x 76 cm H / 760 l

Seating Capacity 3 Adults

Weight Wet: 1 050 kg / Dry: 290 kg

Features 1 UltraLounge

1 NeckFlex Jet Pillow

Dynamic Massage Sequencer

M•Drive Control

25 Jets

1 Single Speed Pump

1 Circulation Pump

UltraPure Water Management System

Trim Options

Terracina  Standard 

Envirotect  Adobe Tan 

Oak  Mayan brown 

Cherry  Stoneridge 

StoneLite  Stoneridge 

Stoneridge 



DIMENSION ONE SPAS®
www.d1spas.com

*The price includes VAT & is subject to change without notice. It includes spa cover (no discount for orders without covers). Freight & installation are not included.

General	
Shape	Rectangular
Seating Capacity	3
Shell Material	Ultralife™ / Granitex™ / Geloy®
Dimensions	213 cm X 169 cm x 76 cm H
Corner Radii	41 cm
Water Capacity	757 Liters
Dry Weight	291 kg
Shipping Weight	313 kg
Full Weight	1048 kg
Skirt Material	Wood or Synthetic

Water System	
Water Treatment System	Ultra Pure™
Plumbing Systems	1
Filters/Coverage	2 x 7 m2
Gate Valves	2
VCR Jet® - Air Adjustable/Directional	4
VCR Jet® - Rotator	7
VCR Jet® - Mini Rotator	2
VCR Jet® - Mini Directional	6
VCR Jet® - Mini Directional in NFJ	4
Ozone Jet	1
Heater Return Jet	1
Pump Returns	2
Floor Drains	1
Skimmer	20,3 cm Weir



Pump Information	50Hz
Motor Size – Peak HP	2.0
Jet Pumps # of Pumps/ Speed	Two / single
Circulation pump	1
Fountain pump	n/a

Electrical System	50Hz
Voltage	230
Amperage	1X16 / 2X16 / 1X32
Heater	FastFlo 2.9 kW
Thermostat	Electronic
Light	Multi color LED
Control System	MSPA-MP-CE-D17
Upper Control (programmable)	M-Drive with Scrolling Message Center
Auxiliary Upper Control	No

Triad II

Architectural Specifications

Reflections



Caution:

Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.

1. Subject to change without notice.
2. Engineering specs may differ slightly from brochure.
3. For E-Z lifter installation allow 18" (45.72cm) clearances on the backside of the spa.
4. Alternative cabinets may add significant weight. Ask your dealer for exact details

Dimensions shown as inches and (centimeters) -XX" (cm)